Product family datasheet

# **OSRAM**

# ORIGINAL MINIXEN

Original spare part





#### The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

### Product family datasheet

#### Technical data

|                        | Product information                         | General Product<br>Information | Electrical Data |                 |                    |
|------------------------|---|--------------------------------|-----------------|-----------------|--------------------|
| Product description    | Application (Category and Product specific) | Global order<br>reference      | Power<br>input  | Nominal voltage | Nominal<br>wattage |
| ORIGINAL MINIXEN 2886X | Auxiliary lamp                              | 2886X                          | 6 W             | 12.0 V          | 6 W                |
| ORIGINAL MINIXEN 3886X | Auxiliary lamp                              | 3886X                          | 6 W             | 12.0 V          | 6 W                |

|                        |              | Photometric Data         | Photometric Data              |          | Lifetime<br>Data |
|------------------------|--------------|--------------------------|-------------------------------|----------|------------------|
| Product description    | Test voltage | Nominal luminous<br>flux | Luminous<br>flux<br>tolerance | Diameter | Lifespan<br>B3   |
| ORIGINAL MINIXEN 2886X | 13.5 V       | 85 lm                    | ±20 %                         | 10.0 mm  | 400 hr           |
| ORIGINAL MINIXEN 3886X | 13.5 V       | 80 lm                    | ±20 %                         | 9 mm     | 400 hr           |

|                        |                | Capabilities | Certificates<br>&<br>standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU<br>Regulation (EC) 1907/2006 (REACh) |                                       |
|------------------------|----------------|--------------|--------------------------------|--|---------------------------------------|
| Product description    | Lifespan<br>Tc | Technology   | ECE<br>category                | Primary article<br>identifier  | Candidate list<br>substance 1         |
| ORIGINAL MINIXEN 2886X | 1000 hr        | AUX          | -                              | 4050300888668  <br>4052899560604  <br>4008321094667  | No declarable<br>substances contained |
| ORIGINAL MINIXEN 3886X | 1000 hr        | AUX          | -                              | 4050300885896  <br>4008321095787   | No declarable<br>substances contained |

| Product description    | Declaration no. in<br>SCIP database   |
|------------------------|---------------------------------------|
| ORIGINAL MINIXEN 2886X | No declarable<br>substances contained |
| ORIGINAL MINIXEN 3886X | No declarable<br>substances contained |

### Product family datasheet

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





0.0





