## Product family datasheet

# LEDriving SL P21W YELLOW

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Amber



**Replaces conventional P21W lamps** Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

### Technical data

	description Product information Product Application (Category type (off- and Product specific) road vs. on-road)		Information Global order		Electric	Electrical Data	
Product description					Power input	Nominal voltage	
LEDriving SL $\triangleq$ P21W	P21W signa	y used for L/ indicator cations	7506DYF	)	1.8 W	12.0 V	
				Photometr	ic Data	Physical Attributes & Dimensions	
Product description	Nominal wattage		est oltage	Nominal lu flux	iminous	Lamp base	
LEDriving SL $\triangleq$ P21W	1 W	±25 % 1	.3.5 V	50 lm		BA15s	
				Lifetime D	ata	Capabilities	
Product description	Length	Diameter		Lifespan B3	Lifespan Tc	Technology	
LEDriving SL $\doteq$ P21W	52.5 mm	25.0 mm		1500 hr	4000 hr	LED <sup>1)</sup>	
	Environmental & Re Information accordin			EC) 1907/20	006 (REACh	)	
Product description	Primary article identifier	Candidate lis substance 1	it	CAS No. of 1	substance	Safe use instruction	
LEDriving SL ≙ P21W	4062172152228   4062172401357	Lead		7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.	

Product description	Declaration no. in SCIP database
LEDriving SL $\triangleq$ P21W	558ba419-9f08-
	4a0e-b0ad-
	fa29ec684e7c

 $^{1)}$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

 File

 Image: Second s

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.