# **OSRAM**

# NIGHT BREAKER H4-LED PRO

OSRAM's first street-legal LED replacement lamp



OSRAM's first H4 street-legal LED replacement lamp 1)

See and be seen more clearly, for more safety on the road, especially at night



Up to 230% more brightness 2)

Cool White LED-Upgrade with color temperature close to daylight for specific car models



Up to 5 times more lifetime 3)

Environmentally friendly through longer durability and less garage shop visits and reduced energy



## First NIGHT BREAKER LED H4-LED

With NIGHT BREAKER H4-LED, OSRAM's first street legal1) LED replacement lamp is now on the market. The plug-and-play solution offers drivers significant advantages: very high cool white color temperature of 6,000 Kelvin with up to 230% more brightness compared to the minimum requirements of ECE R112, up to 5 times longer lifespan compared to halogen lamps and an additional 50% less glare.

## Product family datasheet

## Technical data

	Product in	formation							
Product description	Product legal advice		Product legal advice 2		Product legal advice 3		Application (Category and Product specific)		
NIGHT BREAKER H4 LED PRO	light source applies to respective in which the approval of an equival approval at the vehicle and light for currently lice to compatibilic more details	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-		2) Compared to minimum ECE R112. On top with 50% less glare.		3) Compared to halogen lamps		High and low beam	
	General Product Information		Electrical Data						
Product description	Global order reference		Power input	Test voltage	Power Nominal wattage Nominal input voltage toleranc e				
NIGHT BREAKER H4 LED PRO	64193DWNB		27/23 W	13.2 V	±15 %	27 W	1	.2.0 V	
	Photometr						Light color	Physical Attribut es & Dimensi ons	
Product description	Color temp	Color temperature		Nominal luminous flux		Luminous flux tolerance		Product weight	
NIGHT BREAKER H4 LED PRO	6000 K		1650/1000 lm		±15 %		Cool white	80.00 g	
							Lifetime Dat	a	
Product description	Length	Length		Lamp base		Diameter		Lifespan Tc	
NIGHT BREAKER H4 LED PRO	PRO 87.4 mm		P43t		18.5 mm		2500 hr		
		Capabilities	Certific standar		Informa	ation accordi	egulatory Information ng Art. 33 of EU 07/2006 (REACh)		
Product description	Lifespan	Lifespan Technology B3		Standards		Date of declaration		Primary article identifier	
	B3						identifier		

## Product family datasheet

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
NIGHT BREAKER H4 LED PRO	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6d03723c-6d2c-44f2- 9eef-887a327d488f

## Product family datasheet

#### Download Data

#### File



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

### Legal advice

1) Approved H4-LED headlamp. Only applies to the respective countries in which there is approval and the vehicle models and light functions currently listed in the compatibility list. For exact conditions see www.osram.com/nb-led2) compared to minimum ECE R112. On top with 50% less glare.3) compared to halogen lamps

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

9